

Archives of

Microbiology

Founded in 1930 as
Archiv für Mikrobiologie

LIBRARY USE ONLY

Managing Editors

G. Drews, Freiburg i. Br.
H. G. Schlegel, Göttingen

UNIVERSITY OF HAWAII LIBRARY

Editors

G. Drews, Freiburg i. Br.
R. Emerson, Berkeley
K. Esser, Bochum
G. Gottschalk, Göttingen
A. A. Imshenetsky, Moskwa
W. Loeffler, Tübingen
C. B. van Niel, Pacific Grove
R. Nilsson, Uppsala
N. Pfennig, Göttingen
G. Piekarski, Bonn

S. C. Rittenberg, Los Angeles
C. F. Robinow, London (Can.)
H. G. Schlegel, Göttingen
R. Y. Stanier, Paris
H. Stolp, Hamburg
H. Tamiya, Tokyo
R. Thauer, Bochum
T. O. Wikén, Delft
J. F. Wilkinson, Edinburgh
H. Zähler, Tübingen

Volume 98 1974

Springer-Verlag Berlin Heidelberg New York



The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproductions, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer-Verlag Berlin · Heidelberg · New York

Printed in Germany by Wiesbadener Graphische Betriebe GmbH, D-6200 Wiesbaden

© by Springer-Verlag Berlin · Heidelberg 1974

Contents

Richard Harder †	1
Allen, R. D., s. Taylor, V. I., <i>et al.</i>	101
Anné, J., Eyssen, H., De Somer, P.: Formation and Regeneration of <i>Penicillium chrysogenum</i> Protoplasts	159
Baumann, P., s. Taylor, V. I., <i>et al.</i>	101
Bianchi, M., Cotta, E., Ferni, G., Grein, A., Julita, P., Mazzoleni, R., Spalla, C.: Axenomycins, New Anthelmintic, Antiprotozoal and Antifungal Antibiotics, Produced by <i>Streptomyces lisandri</i> nov. sp.	289
Böger, P., Kiermayer, O.: Electron Microscopy of Plastids of <i>Bumilleriopsis filiformis</i>	207
Brand, G., s. Hüttermann, A., <i>et al.</i>	215
Chen, C. H., s. Kleiner, D.	93
Coetzee, J. N., s. de Klerk, H. C., <i>et al.</i>	271
Cotta, E., s. Bianchi, M., <i>et al.</i>	289
Crociani, F., s. Trovatelli, L. D., <i>et al.</i>	187
Drews, G., s. Framberg, K., <i>et al.</i>	239
Eyssen, H., s. Anné, J., <i>et al.</i>	159
Fährlich, P.: Untersuchungen zur Entwicklung des Phycomyceten <i>Allomyces arbuscula</i> . I. Einfluß von Inhibitoren der Protein- und Nucleinsäuresynthese auf die Differenzierung von Gametangien	85
Ferni, G., s. Bianchi, M., <i>et al.</i>	289
Framberg, K., Mayer, H., Weckesser, J., Drews, G.: Serologische Untersuchungen an isolierten Lipopolysacchariden aus <i>Rhodospseudomonas palustris</i> -Stämmen	239
Fripiat, J. L., s. Laudelout, H., <i>et al.</i>	127
Furch, B.: Changes in the Free Nucleotide Pattern of Spores from <i>Phycomyces</i> in Relation to Heat-Induced Germination	77
Gebauer, M., s. Hüttermann, A., <i>et al.</i>	215
Gezelius, K.: Inorganic Polyphosphates and Enzymes of Polyphosphate Metabolism in the Cellular Slime Mold <i>Dictyostelium discoideum</i>	311
Grein, A., s. Bianchi, M., <i>et al.</i>	289
Haberstich, H.-U., Zuber, H.: Thermoadaptation of Enzymes in Thermophilic and Mesophilic Cultures of <i>Bacillus stearothermophilus</i> and <i>Bacillus caldopenax</i>	275
Hanssens, L., D'Hondt, E., Verachtert, H.: Cyanide-Insensitive Respiration in <i>Moniliella tomentosa</i> and the Effect of Drugs on Respiration and Polyol Biosynthesis	339
v. Hedenström, M., Höfer, M.: Protoplasten der Hefe <i>Rhodotorula gracilis</i> . I. Herstellen der Protoplasten	51
v. Hedenström, M., Höfer, M.: Protoplasten der Hefe <i>Rhodotorula gracilis</i> . II. Physiologische und Transporteigenschaften	59
Hegewald, E., s. Schnepf, E., <i>et al.</i>	133
Höfer, M., s. v. Hedenström, M.	51
Höfer, M., s. v. Hedenström, M.	59
D'Hondt, E., s. Hanssens, L., <i>et al.</i>	339
Hüttermann, A., Gebauer, M., Brand, G., Wessel, I.: Studies on the Regulation of Carbohydrate Synthesis during Growth and Differentiation of <i>Physarum polycephalum</i> . I. Activity of UDPGpyrophosphorylase during Spherulation	215
Julita, P., s. Bianchi, M., <i>et al.</i>	289
Kaney, A. R., s. Orkwiszewski, K. G.	31
Kelly, D. P., s. Tuovinen, O. H.	167

Kelly, D. P., s. Tuovinen, O. H.	351
Kiermayer, O., s. Böger, P.	207
Kirby, E. G., Kroh, M., Sassen, M. M. A.: Cell Wall Formation in Zoospores of <i>Allomyces arbuscula</i> . I. Fine Structural Observations on Encysting Haploid Zoospores	147
Kleiner, D., Chen, C. H.: Physical and Chemical Properties of the Nitrogenase Proteins from <i>Azotobacter vinelandii</i>	93
de Klerk, H. C., Coetzee, J. N., Lecatsas, G.: Intracellular Organization of Bacteriocin Particles in <i>Proteus vulgaris</i> (Short Communication)	271
von Klopotek, A.: Revision der thermophilen <i>Sporotrichum</i> -Arten: <i>Chrysosporium thermophilum</i> (Apinis) comb. nov. und <i>Chrysosporium fergusii</i> spec. nov. = status conidialis von <i>Corynascus thermophilus</i> (Fergus und Sinden) comb. nov. (Short Communication)	365
Koltin, Y., s. Radu, M., et al.	301
Kroh, M., s. Kirby, E. G., et al.	147
Lambert, R., s. Laudelout, H., et al.	127
Laudelout, H., Lambert, R., Fripiat, J. L.: Molar Growth Yield of <i>Nitrobacter winogradskyi</i> during Exponential Growth	127
Lecatsas, G., s. de Klerk, H. C., et al.	271
Mayer, H., s. Framberg, K., et al.	239
Mazzoleni, R., s. Bianchi, M., et al.	289
Nishiura, M., s. Takeo, K.	175
Oltmann, L. F., Schoenmaker, G. S., Stouthamer, A. H.: Solubilization and Purification of a Cytoplasmic Membrane Bound Enzyme Catalyzing Tetrathionate and Thiosulphate Reduction in <i>Proteus mirabilis</i>	19
Orkiszewski, K. G., Kaney, A. R.: Genetic Transformation of the Blue-Green Bacterium, <i>Anacystis nidulans</i>	31
Parry, J. M.: The Selective Effects of Herbicides upon the Growth of Yeast Cultures	331
Pedinotti, M., s. Trovatelli, L. D., et al.	187
Radu, M., Steinlauf, R., Koltin, Y.: Meiosis in <i>Schizophyllum commune</i> . Chromosomal Behavior and the Synaptonemal Complex	301
Rappitt, A. F., s. Ricketts, T. R.	115
Reichelt, J. L., s. Taylor, V. I., et al.	101
Richards, J. S., Sommerfeld, M. R.: Gamete Activity in Mating Strains of <i>Chlamydomonas eugametos</i>	69
Ricketts, T. R., Rappitt, A. F.: Endocytosis and the Adaptive Acid Hydrolases in <i>Tetrahymena pyriformis</i> GL	115
Sassen, M. M. A., s. Kirby, E. G., et al.	147
Scardovi, V., s. Trovatelli, L. D., et al.	187
Schleifer, K. H., Steber, J.: Chemische Untersuchungen am Phagenreceptor von <i>Staphylococcus epidermidis</i>	251
Schnepf, E., Hegewald, E., Soeder, C.-J.: Elektronenmikroskopische Beobachtungen an Parasiten aus <i>Scenedesmus</i> -Massenkulturen. 4. Bakterien	133
Schoenmaker, G. S., s. Oltmann, L. F., et al.	19
Silverberg, B. A.: The Presence of Unusual Microtubular Structures in Senescent Cells of <i>Chlamydomonas dysosmos</i>	199
Sirevåg, R.: Further Studies on Carbon Dioxide Fixation in <i>Chlorobium</i>	3
Soeder, C.-J., s. Schnepf, E., et al.	133
De Somer, P., s. Anné, J., et al.	159
Sommerfeld, M. R., s. Richards, J. S.	69
Spalla, C., s. Bianchi, M., et al.	289
Steber, J., s. Schleifer, K. H.	251
Steinlauf, R., s. Radu, M., et al.	301
Stouthamer, A. H., s. Oltmann, L. F., et al.	19
Takeo, K., Nishiura, M.: Ultrastructure of Polymorphic <i>Mucor</i> as Observed by Means of Freeze-Etching. I. Vegetative Growth of Mycelium and Arthrospore Formation in Submerged and Aerated Cultures	175

Taylor, V. I., Baumann, P., Reichelt, J. L., Allen, R. D.: Isolation, Enumeration, and Host Range of Marine Bdellovibrios	101
Thielke, Ch.: Intranucleäre Spindeln und Reduktion des Kernvolumens bei der Meiose von <i>Coprinus radiatus</i> (Bolt) Fr.	225
Trovatelli, L. D., Crociani, F., Pedinotti, M., Scardovi, V.: <i>Bifidobacterium pullorum</i> sp. nov.: A New Species Isolated from Chicken Feces and a Related Group of Bifidobacteria Isolated from Rabbit Feces	187
Tuovinen, O. H., Kelly, D. P.: Studies on the Growth of <i>Thiobacillus ferrooxidans</i> . IV. Influence of Monovalent Metal Cations on Ferrous Iron Oxidation and Uranium Toxicity in Growing Cultures	167
Tuovinen, O. H., Kelly, D. P.: Studies on the Growth of <i>Thiobacillus ferrooxidans</i> . V. Factors Affecting Growth in Liquid Culture and Development of Colonies on Solid Media Containing Inorganic Sulphur Compounds . . .	351
Verachtert, H., s. Hanssens, L., et al.	339
Weckesser, J., s. Framberg, K., et al.	239
Wessel, I., s. Hüttermann, A., et al.	215
Winkelman, G.: Metabolic Products of Microorganisms. 132. Uptake of Iron by <i>Neurospora crassa</i> . III. Iron Transport with Ferrichrome-Type Compounds	39
Zuber, H., s. Haberstick, H. U.	275

Indexed in Current Contents

Instructions to Authors

General. Papers should preferably be **written in English**, but papers in German and French will also be accepted.

A paper should be written only when a piece of work is rounded off. Authors should not be seduced into writing a series of papers on the same subject as results come to hand. It is better to wait until a comprehensive paper can be written.

Two types of papers are accepted by the editors: full-length papers and short communications. **No paper should exceed 32 printed pages in length.** The text should be as clear and concise as possible. Illustrations should be restricted to the minimum needed to illustrate the points made if they cannot be described in the text, to summarize, or to record important quantitative results. The same data should not be presented in both table and graph forms.

To allow faster publication, the text is made up into pages before the proofs are sent out. Therefore the author should mark in the margin where figures and tables may be inserted, and both form and content of the manuscript should be carefully checked to exclude the need for corrections in proof. A charge will be made for changes introduced after the manuscript has been set in type. However, new results may be given at the end of the paper in a "Note Added in Proof".

Short reports of new results of special interest can be published out of turn as **Short Communications**. They should not be longer than 3 printed pages (= 5 pages of double-spaced typescript), including any tables. The Editors reserve the right to decide what constitutes a short communication.

To ensure rapid and accurate publication it is essential that manuscripts conform to the instructions which follow.

When setting out his manuscript the author should consult a copy of the journal and conform with its normal practice. To speed up editorial scrutiny, manuscripts should be submitted in duplicate, typed in double-line spacing with wide margins.

It is a fundamental condition that manuscripts submitted have not been published before, and the author must undertake not to publish elsewhere at a later date.

Arrangement of the Manuscript. The **title page** should comprise: title of paper, first name(s) and surname(s) of author(s), laboratory or institution, any footnotes to the title (indicated by asterisks), running title (not more than 67 typewriter strokes, including spaces), address to which proofs are to be sent, and a list of non-standard abbreviations. Standard abbreviations as used in the biochemical literature, e.g. *European J. Biochem.* **1**, 259–266 (1967), need not be defined.

Each paper should be preceded by a brief **abstract** from which the reader should be able to determine quickly whether the subject of the particular paper relates to his specific needs. Further, if the abstract clearly relates the problem, methods, results and conclusions reported by the article, it can be used immediately by current awareness publications or other information retrieval systems.

The abstract should be as short as possible and should not exceed 200 words, or 100 in the case of short communications. Normally, complete sentences, active verbs and the third person should be used and the abstract should be written in the past tense. Standard nomenclature should be used. Abbreviations should not be used. Unfamiliar terms and symbols should be defined the first time they occur.

Papers not in English should have in addition an English abstract, preceded by an English translation of the title of the paper.

At the end of the abstract up to **ten key words** or indexing terms should be listed. These are nouns (no sentences) under which the author believes his work should be subject-indexed. Key words contained in the title of the paper have to be repeated. Key words are always given in English.

Taxonomic names (genus, species and strains) and any part of the text requiring emphasis should be marked for italics by underlining.

Descriptions of method and less important parts of the text should be marked for **small print**.

The **introduction** (not so headed) should be concise and define the scope of the work in relation to other work done in the same field. It should not as a rule give an exhaustive review of the literature. **Materials and Methods** should give sufficient detail to allow the experiments to be repeated, but there is no value in detailed descriptions unless of a genuine innovation.

References to the **strains** under investigation should be given: genus, species and variety name (italics), designation of the strain, collection number or source. When a new bacterial name is proposed please contact an international authority on nomenclature.

Results should be presented with clarity and precision. The discussion should be confined to the interpretation of the results without repeating them.

Footnotes which do not refer to the heading of the article should be numbered consecutively and typed on a separate sheet.

References to the **literature** in the text should be by author and year; where there are two authors, both should be named, but with three or more only the first author's name plus "*et al.*" need be given. The list at the end of the paper should include only works mentioned in the text and should be arranged alphabetically by name of first author. Citations regarding "unpublished results" or papers "in preparation" are not to be mentioned.

References should be cited as follow: *journal papers*—names and initials of all authors, full title, journal as abbreviated in World Medical Periodicals, volume number, first and last page numbers, year in brackets; *books*—names and initials of all authors, full title, edition, place of publication, publisher and year.

Example of a journal paper citation:

Matthews, Th. R., Niederpruem, D. J.: Differentiation in *Coprinus lagopus*. II. Histology and ultrastructural aspects of developing primordia. Arch. Mikrobiol. 88, 169—180 (1973)

Example of a book citation:

Esser, K., Kuenen, R.: Genetics of fungi. Berlin-Heidelberg-New York: Springer 1968

Example of an article quoted from a book:

Faith, W. T., Neubeck, C. E., Reese, E. T.: Production and application of enzymes. In: Advances in biochemical engineering, Vol. 1, T. K. Ghose, A. Fiechter, Eds., pp. 77—111. Berlin-Heidelberg-New York: Springer 1971

Responsibility for the accuracy of bibliographic references rests entirely with the author.

Figures are costly and should be used with discretion. An illustration is only justified if it clarifies or reduces the text. Information given in captions should not be repeated in the text. Coloured or previously published illustrations are not usually accepted.

Figures, graphs and tables should always be mentioned in the text and should be numbered with arabic numerals. A brief descriptive legend should be provided for each figure; legends are part of the text and should be appended to it on a separate page. Original drawings and photographs in a form suitable for reproduction should be submitted separately from the text. The top of the figure, the author, and the figure number should be written lightly in soft pencil on the back of each. Copies of the figures should be supplied with each copy of the manuscript.

Illustration copy should comprise:

Original line drawings: Clean lines of uniform thickness drawn in Indian ink, the whole about twice the size of the final block, and should not be larger than A 4 (2.3"×11.7"). Inscriptions should allow for reduction. For example for the figure 1 to be about 2 mm high in the final version, it must be 4 mm high for reduction $\times \frac{1}{2}$.

Photographs: Sharp, well contrasted glossy prints trimmed at right angles; areas that are not essential should be cut off. Authors should label photographs with Letraset (Instant Lettering). Photos should be of a size to permit reproduction without (or with only slight) reduction within the print area of 108×177 mm (4 $\frac{1}{4}$ "×7"). Where possible, figures should be grouped so as to utilize the full print area.

The degree of reduction will be determined by the publishers, but in general it should be assumed that the same scale of reduction will apply to all figures in the same paper.

Note that inclusive **pagination** must be given.

Mailing: To avoid creasing please place manuscripts between pieces of cardboard when mailing.